

Listing of the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Claims 1-24 canceled.

25. (New) A polypropylene resin composition comprising:

a) from 40 wt% to 80 wt% of component A selected from a propylene homopolymer or a propylene copolymer comprising at most 5 wt% of a comonomer selected from ethylene, a C₄₋₁₂ α -olefin, or mixtures thereof; and

b) from 20 wt% to 60 wt% of component B comprising B-1 and B-2, wherein B-1 is a copolymer of propylene with ethylene having a propylene content from 55 wt% to 85 wt%, and B-2 is a propylene copolymer comprising 15 wt% to 50 wt% of propylene, comprising a comonomer selected from ethylene, a C₄₋₁₂ α -olefin, or mixtures thereof, and having a molecular weight distribution by gel permeation chromatography of 3.0 or less and a blockness by NMR of 0.8 or less;

wherein the composition comprises at least 3 wt% of B-2, and has an intrinsic viscosity ratio of B-1 to A at most of 1.5 and an intrinsic viscosity ratio of B-1 to B-2 at least 0.8.

26. (New) The composition of claim 25, having a weight ratio of B-1 to B-2 from 1.2 to 6.0.

27. (New) The composition of claim 25, wherein B-2 comprises 15 wt% to 35 wt% of propylene.

28. (New) The composition of claim 25, wherein A has a stereoregularity of at least 96%.

29. (New) The composition of claim 25, wherein B is dispersed as layers or as needles in A, and an average length of the dispersed layer is 1.5 μ m or longer.

30. (New) A molding comprising the composition of claim 25.

31. (New) A film comprising the composition of claim 25.